	Application No.	Applicant(s)
	10/724,133	LEE, JOON HYEON
Notice of Allowability	Examiner	Art Unit
	DuyVu n. Deo	1765
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>RCE filed 3/24/06</u> .		
2. The allowed claim(s) is/are <u>1-11</u> .		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some* c) None of the:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.  (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Date  7. ☒ Examiner's Amendm	

J.S. Patent and Trademark Office PTOL-37 (Rev. 7-05)

Application/Control Number: 10/724,133 Page 2

Art Unit: 1765

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows: please replace the abstract with this abstract:

## **ABSTRACT**

The present invention relates to a method of forming a metal line layer in a semiconductor device comprising step of depositing a metal line layer on a semiconductor structure; forming an insulating film and a photoresist material on the metal line layer in a sequential manner, patterning the metal line layer by using the photoresist material and the insulating film as a mask; removing the photoresist material; and etching the insulating film in an isotropic manner. According to the present invention, since metal polymers and metal residues are perfectly removed during the process of forming the metal line layer, it is possible to remove sources, which induce the bridge phenomena. Therefore, it is possible to remarkably improve reliability of a semiconductor device.

2. The following is an examiner's statement of reasons for allowance: applied prior art, Liu et al. (6,117,345) doesn't describe removing the patterned insulating film from the metal line laver by an isotropic etching process so that the metal polymer is removed together with the patterned insulating film, thereby exposing a top surface of the metal line layer. Liu shows (fig. 7), the insulating layer still cover the top surface of the metal line after the isotropic etching.

Application/Control Number: 10/724,133 Page 3

Art Unit: 1765

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to DuyVu n. Deo whose telephone number is 571-272-1462. The

examiner can normally be reached on 6 am -2:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Nadine Norton can be reached on 571-272-1465. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Primary Examiner

Duy-Vu N Deo

5/30/06

19il